

**FORM SEAL SIL. clr**  
Revision Number 1.01

**Revision date** 09-Oct-2024  
**Supersedes date** 17-Sep-2024

## Section 1: Identification

### Product identifier

**Product Name** FORM SEAL SIL. clr

### Other means of identification

**Recommended use** Sealant

**Uses advised against** No information available

### Details of the supplier of the safety data sheet

#### Supplier

Bostik New Zealand Limited  
19 Eastern Hutt Road Wingate,  
Lower Hutt, New Zealand  
Tel: 04-567 5119  
Fax: 04-567 5412

#### Manufacturer

Bostik New Zealand Limited  
19 Eastern Hutt Road Wingate,  
Lower Hutt, New Zealand  
Tel: 04-567 5119  
Fax: 04-567 5412

**E-mail address** SDS.AP@Bostik.com

### Emergency telephone number

**Emergency Telephone** 24 Hr: 0800 243 622  
International +64 4 917 9888  
Poison Centre : 0800 764 766

## Section 2: Hazard identification

### GHS Classification

<b>Serious eye damage/eye irritation</b>	Category 1
<b>Skin sensitization</b>	Category 1
<b>Carcinogenicity</b>	Category 1B
<b>Reproductive toxicity</b>	Category 2
<b>Specific target organ toxicity (single exposure)</b>	Category 2
<b>Specific target organ toxicity (repeated exposure)</b>	Not applicable

### Label elements



**Signal word**  
Danger

### Hazard statements

# SAFETY DATA SHEET

FORM SEAL SIL. clr  
Revision Number 1.01

Revision date 09-Oct-2024  
Supersedes date 17-Sep-2024

H317 - May cause an allergic skin reaction  
H318 - Causes serious eye damage  
H350 - May cause cancer  
H361 - Suspected of damaging fertility or the unborn child  
H371 - May cause damage to organs

## Precautionary Statements - Prevention

Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Contaminated work clothing should not be allowed out of the workplace  
Do not breathe dust/fume/gas/mist/vapors/spray  
Wash face, hands and any exposed skin thoroughly after handling  
Do not eat, drink or smoke when using this product  
Wear protective gloves

## Precautionary Statements - Response

IF exposed or concerned: Call a POISON CENTER or doctor

## Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor

## Skin

IF ON SKIN: Wash with plenty of water and soap  
If skin irritation or rash occurs: Get medical advice/attention  
Take off contaminated clothing and wash it before reuse

## Precautionary Statements - Storage

Store locked up

## Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

## Other hazards which do not result in classification

Small amounts of 2-butanone, oxime (CAS 96-29-7) are formed by hydrolysis and released upon curing. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. May be harmful if swallowed. Causes mild skin irritation.

## Section 3: Composition/information on ingredients

Chemical name	CAS No.	Weight-%
2-Butanone, O,O',O''-(methylsilylidene)trioxime	22984-54-9	5 - <10
Butan-2-one O,O',O''-(vinylsilylidene)trioxime	2224-33-1	1 - <5
N-(3-(trimethoxysilyl)propyl)ethylenediamine	1760-24-3	1 - <3
2-Butanone, oxime	96-29-7	1 - <3
Dibutyltin dilaurate	77-58-7	0.1 - <1

Non-hazardous ingredients	Proprietary	Balance
---------------------------	-------------	---------

## Section 4: First-aid measures

### Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand.

**Inhalation** Remove to fresh air. If symptoms persist, call a physician.

**Eye contact** Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Consult an ophthalmologist.

# SAFETY DATA SHEET

FORM SEAL SIL. clr  
Revision Number 1.01

Revision date 09-Oct-2024  
Supersedes date 17-Sep-2024

**Skin contact** Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an allergic skin reaction. If symptoms persist, call a physician.

**Ingestion** Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water. Drink 1 or 2 glasses of water. Do NOT induce vomiting.

**Self-protection of the first aider** Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

## Most important symptoms and effects, both acute and delayed

**Symptoms** None known.

**Effects of Exposure** May cause cancer. May cause adverse reproductive effects - such as birth defect, miscarriages, or infertility. May cause damage to organs.

## Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

## **Section 5: Fire-fighting measures**

### Suitable Extinguishing Media

**Suitable Extinguishing Media** Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

**Large Fire** CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Full water jet.

### Specific hazards arising from the chemical

**Specific hazards arising from the chemical** Thermal decomposition can lead to release of irritating gases and vapors.

**Hazardous combustion products** Carbon dioxide (CO<sub>2</sub>). Nitrogen oxides (NO<sub>x</sub>). Silicon oxides.

### Special protective actions for fire-fighters

**Special protective equipment and precautions for fire-fighters** Wear self contained breathing apparatus for fire fighting if necessary.

## **Section 6: Accidental release measures**

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Do not get in eyes, on skin, or on clothing. Use personal protective equipment as required. Ensure adequate ventilation.

**Other information** Refer to protective measures listed in Sections 7 and 8.

**For emergency responders** Use personal protection recommended in Section 8.

### Environmental precautions

**Environmental precautions** Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.

### Methods and material for containment and cleaning up

# SAFETY DATA SHEET

FORM SEAL SIL. clr  
Revision Number 1.01

Revision date 09-Oct-2024  
Supersedes date 17-Sep-2024

**Methods for containment** Do not scatter spilled material with high pressure water streams.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

## **Precautions to prevent secondary hazards**

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## **Section 7: Handling and storage**

### **Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes.

**General hygiene considerations** Take off contaminated clothing and wash it before reuse.

### **Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a cool, well-ventilated place. Keep away from food, drink and animal feeding stuffs. Protect from moisture.

**Recommended storage temperature** Keep at temperatures between 50 and 95 °F / 10 and 35 °C.

**Incompatible materials** Strong oxidizing agents.

## **Section 8: Exposure controls/personal protection**

### **Control parameters**

**Exposure Limits** Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

Chemical name	New Zealand	ACGIH TLV	United Kingdom	Australia
Dibutyltin dilaurate 77-58-7	TWA: 0.05 mg/m <sup>3</sup> STEL: 0.02 mg/m <sup>3</sup> STEL: 0.1 mg/m <sup>3</sup> Sk*	TWA: 0.1 mg/m <sup>3</sup> Sn STEL: 0.2 mg/m <sup>3</sup> Sn Sk*	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.2 mg/m <sup>3</sup> Sk*	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.2 mg/m <sup>3</sup>
Chemical name	New Zealand	ACGIH TLV	United Kingdom	Australia
Methyl alcohol 67-56-1	TWA: 200 ppm TWA: 262 mg/m <sup>3</sup> STEL: 250 ppm STEL: 328 mg/m <sup>3</sup> Sk*	TWA: 200 ppm STEL: 250 ppm Sk*	TWA: 200 ppm TWA: 266 mg/m <sup>3</sup> STEL: 250 ppm STEL: 333 mg/m <sup>3</sup> Sk*	TWA: 200 ppm TWA: 262 mg/m <sup>3</sup> STEL: 250 ppm STEL: 328 mg/m <sup>3</sup>

**Biological occupational exposure limits** This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

### **Appropriate engineering controls**

**Engineering controls** Showers  
Eyewash stations

# SAFETY DATA SHEET

FORM SEAL SIL. clr  
Revision Number 1.01

Revision date 09-Oct-2024  
Supersedes date 17-Sep-2024

Ventilation systems.

## Individual protection measures, such as personal protective equipment

<b>Eye/face protection</b>	Tight sealing safety goggles.
<b>Hand protection</b>	Wear suitable gloves.
<b>Skin and body protection</b>	Wear suitable protective clothing.
<b>Respiratory protection</b>	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
<b>Environmental exposure controls</b>	No information available.

## **Section 9: Physical and chemical properties**

### Information on basic physical and chemical properties

<b>Physical state</b>	Paste / Gel Liquid
<b>Appearance</b>	Paste
<b>Color</b>	Clear
<b>Odor</b>	Characteristic.
<b>Odor threshold</b>	No information available

<b>Property</b>	<b>Values</b>	<b>Remarks • Method</b>
pH	No data available	Not applicable Insoluble in water
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	None known
Lower flammability or explosive limits	No data available	None known
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	Insoluble in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive properties	No information available.	
Oxidizing properties	No information available.	

### Other information

<b>Softening point</b>	No information available
<b>Molecular weight</b>	No information available
<b>VOC content</b>	No information available
<b>Density</b>	1
<b>Bulk density</b>	No information available
<b>Particle characteristics</b>	

# SAFETY DATA SHEET

FORM SEAL SIL. clr  
Revision Number 1.01

Revision date 09-Oct-2024  
Supersedes date 17-Sep-2024

## Section 10: Stability and reactivity

### Reactivity

**Reactivity** Product cures with moisture.

### Chemical stability

**Stability** Stable under normal conditions.

### Explosion data

**Sensitivity to mechanical impact** None.

**Sensitivity to static discharge** None.

### Possibility of hazardous reactions

**Possibility of hazardous reactions** None under normal processing.

### Conditions to avoid

**Conditions to avoid** Product cures with moisture. Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and sources of ignition.

### Incompatible materials

**Incompatible materials** Strong oxidizing agents.

### Hazardous decomposition products

**Hazardous decomposition products** Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

## Section 11: Toxicological information

### Acute toxicity

### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to eyes.

**Skin contact** Specific test data for the substance or mixture is not available. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes mild skin irritation.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Symptoms** Redness. Burning. May cause blindness. Itching. Rashes. Hives. Prolonged contact may cause redness and irritation.

### Acute toxicity

### Numerical measures of toxicity

# SAFETY DATA SHEET

FORM SEAL SIL.clr  
Revision Number 1.01

Revision date 09-Oct-2024  
Supersedes date 17-Sep-2024

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	5,000.00 mg/kg
ATEmix (dermal)	12,104.40 mg/kg
ATEmix (inhalation-gas)	>20000 ppm
ATEmix (inhalation-vapor)	>20 mg/l
ATEmix (inhalation-dust/mist)	63.80 mg/l

## Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-Butanone, O,O',O"-(methylsilylidene)trioxime	LD50 = 2463 mg/Kg (Rattus) (OECD 401)	LD50 >2000 mg/Kg (Rattus) (OECD 402)	-
Butan-2-one O,O',O"-(vinylsilylidene)trioxime	LD50 > 2000 mg/kg (Rattus) OECD 425	LD50 > 2009 mg/kg (Rattus) OECD 402	-
N-(3-(trimethoxysilyl)propyl)ethylenediamine	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol) 1.5 - 2.44 mg/L air
2-Butanone, oxime	=100 mg/kg (ATE)	1000 - 1800 mg/kg (Oryctolagus cuniculus)	>4.83 mg/L (Rattus) 4 h
Dibutyltin dilaurate	=2071 mg/kg (Rattus) OECD 401	> 2000 mg/kg (Rattus)	-

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** May cause skin irritation. Classification based on data available for ingredients. Causes mild skin irritation.

### N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404: Acute Dermal Irritation/Corrosion	Rabbit				Mild skin irritant

**Serious eye damage/eye irritation** Classification based on data available for ingredients. Causes burns. Causes serious eye damage.

### Component Information

### N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405: Acute Eye Irritation/Corrosion	Rabbit	eye			Eye Damage

**Respiratory or skin sensitization** May cause an allergic skin reaction.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

### N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

Method	Species	Results
OECD Test No. 471: Bacterial Reverse Mutation Test	Mammalian cells in vitro	Negative
OECD Test No. 476: In Vitro Mammalian Cell Gene Mutation Tests using the Hprt and xprt genes	Mammalian cells in vitro	Negative

**Carcinogenicity** Contains a known or suspected carcinogen. Classification based on data available for

# SAFETY DATA SHEET

FORM SEAL SIL.clr  
Revision Number 1.01

Revision date 09-Oct-2024  
Supersedes date 17-Sep-2024

ingredients. May cause cancer.

## 2-Butanone, oxime (96-29-7)

Method	Species	Results
OECD Test No. 453: Combined Chronic Toxicity/Carcinogenicity Studies	Rat	Carcinogenic

### Reproductive toxicity

Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. Suspected of damaging fertility or the unborn child.

## N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

Method	Species	Results
OECD Test No. 422: Combined Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity Screening Test	Rat Oral	NOAEL >500 mg/Kg

### STOT - single exposure

May cause damage to organs.

### Narcotic effects

No information available.

### STOT - repeated exposure

Based on available data, the classification criteria are not met.

## N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 422: Combined Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity Screening Test	Rat	Subacute oral toxicity gavage		28 days	NOAEL >500 mg/kg

### Aspiration hazard

Based on available data, the classification criteria are not met.

## Section 12: Ecological information

### Ecotoxicity

#### Ecotoxicity

#### Aquatic ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Crustacea
2-Butanone, O,O',O''-(methylsilylidene)trioxime	EC50 (72h) = 94 mg/L (Pseudokirchneriella subcapitata) OECD 201	EC50 (96h) >120 mg/L (Oncorhynchus mykiss) Freshwater static (OECD guideline 203)	EC50 (48h) > 120 mg/L (Daphnia magna) OECD 202
Butan-2-one O,O',O''-(vinylsilylidene)trioxime	EC50 (72h) = 16 mg/L (Pseudokirchneriella subcapitata) OECD 201	LC50 (96h) > 120 mg/L (Oncorhynchus mykiss) OECD 203	EC50 (48h) > 120 mg/L (Daphnia magna) OECD 202
N-(3-(trimethoxysilyl)propyl)ethylenediamine	-	LC50 (96H) = 597 mg/L (Danio rerio) Semi-static	EC50 (48h) = 81mg/L Daphnia magna Static
2-Butanone, oxime	EC50: =83mg/L (72h, Desmodesmus subspicatus)	LC50: =760mg/L (96h, Poecilia reticulata) LC50: 777 - 914mg/L (96h, Pimephales promelas) LC50: 320 - 1000mg/L (96h, Leuciscus	EC50: =750mg/L (48h, Daphnia magna)

# SAFETY DATA SHEET

FORM SEAL SIL. clr  
Revision Number 1.01

Revision date 09-Oct-2024  
Supersedes date 17-Sep-2024

Dibutyltin dilaurate	EC50 1 (72h) mg/L (desmodesmus subspicatus)	LC50: =2mg/L (48h, Oryzias latipes)	0,463 (48h) mg/L (daphnia magna)
----------------------	---	-------------------------------------	----------------------------------

**Terrestrial ecotoxicity** There is no data for this product.

**Persistence and degradability** No information available.

## Bioaccumulative potential

### Bioaccumulation

### Component Information

Chemical name	Partition coefficient
2-Butanone, O,O',O"--(methylsilylidyne)trioxime	1.69
Butan-2-one O,O',O"--(vinylsilylidyne)trioxime	1.69
N-(3-(trimethoxysilyl)propyl)ethylenediamine	-0.3
2-Butanone, oxime	0.65
Dibutyltin dilaurate	4.44

## Mobility in soil

**Mobility** No information available.

## Other adverse effects

No information available.

## Disposal methods

### Waste from residues/unused products

Dispose of product in packaging in a way that is consistent with the EPA Consolidation 30 April 2021 of the Hazardous Substances (Disposal) Notice 2017 and the Act. Treat the substance using a method that changes the characteristics or composition of the substance so that the substance is no longer a hazardous substance; or export the substance from New Zealand as waste. Substances which are hazardous to human health or corrosive to metals – may be discharged into the environment if a tolerable exposure limit has been set for the substance (or a component of that substance); and the discharge does not, after reasonable mixing, result in the concentration of the substance in an environmental medium exceeding the tolerable exposure limit. If there is no tolerable exposure limit for the substance, then it may only be discharged into the environment if the substance is very rapidly converted to substances that are not hazardous substances. Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

### Contaminated packaging

Handle contaminated packages in the same way as the product itself.

## **Section 14: Transport information**

**IATA** Not regulated

**IMDG** Not regulated

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**  
No information available

**ADR** Not regulated

# SAFETY DATA SHEET

FORM SEAL SIL. clr  
Revision Number 1.01

Revision date 09-Oct-2024  
Supersedes date 17-Sep-2024

## Section 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

**EPA New Zealand HSNO approval** HSR002679 - Surface Coatings and Colourants (Carcinogenic) code or group standard

#### **National regulations**

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

#### **Certified handlers, tracking and controlled substance license requirements**

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information

Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information

Controlled substance licenses are required to possess certain explosives, vertebrate toxic agents and fumigants. See Part 7 of the Health and Safety at Work Regulation 2017 for more information

#### International Regulations

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

**The Rotterdam Convention** Not applicable

#### Europe

### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

#### **SVHC: Substances of Very High Concern for Authorization:**

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## Section 16: Other information

**Prepared By** Product Stewardship and Regulatory Affairs

**Revision date** 09-Oct-2024

#### **Revision Note**

\*\*\*Indicates updated data since last publication.

#### **Key or legend to abbreviations and acronyms used in the safety data sheet**

#### **Legend**

SVHC: Substances of Very High Concern for Authorization:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances

vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate

LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

#### **Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation
**	Hazard Designation	+	Sensitizers

# SAFETY DATA SHEET

FORM SEAL SIL.clr  
Revision Number 1.01

Revision date 09-Oct-2024  
Supersedes date 17-Sep-2024

C Carcinogen

## Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
Environmental Protection Agency  
Acute Exposure Guideline Level(s) (AEGL(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
National Institute of Technology and Evaluation (NITE)  
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
U.S. National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
Organization for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet